

VCA Headquarters
I The Eastgate Office Centre
Eastgate Road
Bristol, BS5 6XX
United Kingdom

Switchboard: +44 (0) 117 951 5151 Direct line: +44 (0) 117 952 Main Fax: +44 (0) 117 952 4103

Email: Web: +44 (0) 117 952 4103 enquiries@vca.gov.uk www.vca.gov.uk

THE UNITED KINGDOM VEHICLE APPROVAL AUTHORITY

Rev 1/03



COMMUNICATION CONCERNING THE APPROVAL GRANTED OF A TYPE OF MECHANICAL COUPLING DEVICE OR COMPONENT, PURSUANT TO REGULATION NO 55.01

EINGEGANGEN

1 4. Jan. 2008

Approval No: 55R-01 6752

Erl.....

Reason(s) for Extension: Not applicable

- Trade name or mark of the device or component: VBG or RIngfeder
- 2. Manufacturer's name for the type of device or component: RUwg K2D
- 3. Manufacturer's name and address:

VBG Group AB Box 1216 46228 Vänersborg Sweden

- 4. If applicable, name and address of the manufacturer's representative: Not applicable
- 5. Alternative supplier's names or trade marks applied to the device or component: Not applicable
- 6. Name and address of company or body taking responsibility for the conformity of production:

VBG Group AB Box 1216 46228 Vänersborg Sweden



- 7. Submitted for approval on: 10 December 2007
- 8. Technical service responsible for conducting approval tests: TÜV SÜD Automotive GmbH
- 9. Brief description: Hook coupling to use with toroidal drawbar eye
- 9.1. Type and class of device or component: Hook coupling type, class S
- 9.2. Characteristic values:
- 9.2.1. Primary values:

D75 kN	Dc66 kN	S700 kg
Utonnes	V20 kN	
Alternative values:		

D75	kN	Dc66 kN	S400 kg
П	tonnes	V 23 kN	

Alternative values:

D75 kN	Dc66 kN	S250 kg
Utonnes	V25 kN	

- 10. Instructions for the attachment of the coupling device or component type to the vehicle and photographs or drawings of the mounting points given by the vehicle manufacturer: See manufacturers document
- 11. Information on the fitting of any special reinforcing brackets or plates or spacing components necessary for the attachment of the coupling device or component: Not applicable
- 12. Additional information where the use of the coupling device or component is restricted to special types of vehicles see annex 5, paragraph 3.4. Not applicable
- 13. For Class K hook type couplings, details of the drawbar eyes suitable for use with the particular hook type. To use with toroidal drawbar eye
- 14. Date of test report: 17 December 2007
- 15. Number of test report: 07-00548-CX-GBM
- 16. Approval mark position: On type plate mounted on the side of the jaw



- 17. Reason(s) for extension of approval (if applicable): Not applicable
- 18. Approval GRANTED
- 19. Place: BRISTOL
- 20. Date: 31 DECEMBER 2007
- 21. Signature:

A W STENNING Head of Product Certification

22. The list of documents deposited with the Administrative Service which has granted approval is annexed to this communication and may be obtained on request.

EAH184024

